BHARAT COKING COAL LIMITED (A Subsidiary of Coal India Limited)

Regd. Office: Koyla Bhawan, Koyla Nagar, Dhanbad

...Kustor.e. Area..... Area/HQ

	P. O	Jb.aria	DIST. DHANBAD
Ref.	No .B CCL sKA: PBR: 2009-10:	YI	Dated27.05.2009.
			DatedAr.Rep.F.Cu.7.F
		********	林台林林台村 / 中的自分
			/ WEBSITE TENDER/
ment delive as per ignor	You are requested to quote prices ioned material Rates must be quoted of eries, rates of freight upto destination	in Sealed (ICE INVITING TENDER Cover superscribing the Tender No. & due date for the underestination basis. In case of ex-godown or ex despatching station be quoted separately. The offers should strictly be submitted offers which deviates from our tech & commercial terms may be
SI. No.	Description of Stores	Quantity Required	Important Conditions
01.	DGMS/Cement Capsule, The details as per Annexure At & Bt as enclosed herewith. NB:- VAT/TIN/VST/Vendor Make/Pan nos./Guara must be indicated i	itee	overwriting may be ignored. 3. The TERM & CONDITION OF SUPPLY OF STORES, PLANT AND EQUIPMENT (Form No. B.C.C.L. JHR C.C. (S&P) c) as amended up to date can be had from this office / CALCUTTA Purchase Division on payment of Re. 1/- (Rupee one) non refundable. These conditions will ultimately govern the contract. 4. The prices quoted must be exclusive or Sales Tax Excise duty forwarding & packing charges etc. The rate at which these taxes are applicable must be separately mentioned if no mention is made of these Taxes it will be presumed that prices quoted are inclusive of these taxes No charges will be entertained letter on. 5. Your offer must be valid for a least 120 days from the due date 6. We accept the payment terms as 100% payment within 30 days from the date of receipt and acceptance of stores at site. 7. Please indicate where the rates quoted as per DGS & D. BCCL, Rate contract, if in existance or open market trade rate if the rates are as per DGS & D-BCCL Rate contract please furnish a copy of the same along with the quotation. 8. Only type written offer must be submitted. 9. Samples if required will have to be submitted free of cost inon refundable) 10. In case of steel castings/east Iron/phosphorous Bronze Costings, please quote your rate on per place basis only after taking in to account the weight of the Casting/Pattern Machining etc. Please indicate the weight adopted by you.
ind sh	Quotation. ion :- Tenders shall be receive upto all be opened at 3-00 P.M. on same	1-00 P.M.	his office.
	als are required atKus tore Remark to commence from		and to be completed part or in by BCCL reserves the right to accept or reject and or all tender

Yours faithfully, For BHARAT COKING COAL LIMITED

either, in full without assigning any reason thereof.

BCCL SS KUSTOR E AREA.

- & TECHNICAL SPECIFICATION S-

Annexure! A!.

- 01. It should be DGMS Approval must be valid by the date of Opening of Ten
- 02. The menufacturer shall adways obtain a quality certificate of the mate align, Metals, chemicals, components, parts and accessories purchased from the suppliers, which shall be supplied to the Consignes.
- O3. The manufacturer shall furnish all the relevant information in respect of chemical composition, properties, mechanical parameters and specifications or any other information or reports pertinent to their products the Consignee.
- O4. The Cement Capsule and its constituent shall be exactly of the same quantity, quality and composition % given in the application for approx from DGMS and a notarized copy of the same should be supplied with each lot of Cement Capsules supplied to the Consignee.
- 05. The put out strength (Tensile Strength) of the Roof book grounted with full column cement capsule shall not be less than 8 tonnes.
- O6. Two percent of the samples of cement Capsule manufactured, jointly sampled by the users & manufacturer, shall be subjected to prescribed examination and testing at an established and accredited test House CIMFR/ISMU and the cost of testing will be borne by the supplier/manufacturer. The Cement Capsules destroyed in the test shall be replaced by the supplier/manufacturer free of Cost. However if supplier does not turn up for conducting Test even after two reminder users a will got the materials tested as prescribed above.
- 07. The examination and testing so prescribed shall be carried out in the presence of the representative from the manufacturers and users who shawitness the tests and examinations and signa thereon the tests and examination reports.
- 08. The chemicals of the materials and substances used in the product shall be bio-dagradable, non-czone depleting and non-toxic in nature.
- O9. The manufacturer shall arrange to provide clear instructions for use, safety data sheet, codes of afe practices for storage and use of the product.
- 10. The schedule of checking, checklist and other relevant information shall also be provided by the manufameturer to the users on every consignment of supplies.
- 11. Adequate training and practical demonstration for storage and use shall be provided to the s users.
- 12. Manufacturing lot no. with date of manufacture alongwith date of expiry of the product shall be printed on the body of the package in English.
- 13. DGMS Approve 1 number with date of expiry shall be printed on the package of cement capsule and shall always be supplied to the users with valid DGMS Approval.
- 14. The shelflife of the Cement Capsules shall be shown on every unit of Cement Capsule Packages.

Contd...P/2....

Page-No.II.

15. The Cement Capsule material should conform to the following i norms:-

: 400mm. with tolerance of +/-10mm. Length

Diameter: XX 32mm.

Weight : 400 gram with tolerance of +/-3%

MAN Physico Mech. Properties :-

1.

Average soaking time 5 min. max.
Inicial setting time 4 3 min.maximum. Kinaksaktingxtime 2.

Final satting time 15 min. maximum. 3.

Comp. strength :-

- 4.5 MPA Minimum. a). After 30 min. After 2 hrs. After 24 hrs. c) .

- 16 MPA minimum .

Average strength :-5.

a). After 30 min. b). After 2 hrs. - 3T. Minimum. - 5%. Minimum.

c) . After 24 Hrs. - 8 Tonge minimum.

"B" Chemical Properties :-

- 35000 cps to 50000 cps. 1) . Visco City

2) . Capsule should be Chloride free. 3) . Shinkage test not more than 0.08%

4). Calcum oxide 30 to 35% 5). Alumina 0 to 15% 6). Fe0 5% Max. 6) · Fe0 7) · Mgo 2% Max .

B). Conilous table materials 2% max. - 15 to 20% 9). Silica content

- Nil. 10). Plaster of Paris

The Cement Capsule s shall be packed suitably with batch no., month of manufactuer etc., so that they are not damaged during trans 16 .

17. If the material fails the prescribe that the whole lot will be distroyed ate users end. The material/Comment Capsule so failed & distructed shall be replaced by manufacturer/supplier free of Cost.

> Area Manager29a Kustore Area

BHARAT COKING COAL LIMITED Purchase Department Kusta e Area.

Anne xure B1.

-: COMMERCIAL TERMS & CONDITIONS :-

- 1). 100% Payment within 30 days afthe acceptance of materials at site.
- 2). Only Typed Written Offer must be submitted. Hand Written Offer shall not be acceptance.
- 3). Offer must be submitted as per specification of the NIT.
- 4). Please Certify that Offered rate are same as Offered to other Area of BCCL/CIL/Other Undertaking/Govt.Deptt.
- 5). The price should be firm and F.O.R. destination basis.
- 6). Earnest Money @2% of extimated value is Rs. 14, 400.00 must be deposited in Form of Bank-Draft of a recognized bank in favour of Bharat Coking Coal Limited, papable at Dhanbad alongwith Offer. Without depositing EMD Offer will not be Considered. EMD is exempted for those supplier who has registered with NSIC.
- 7). Offer should be submitted in TWO BID System :-PART-A Contain Technical Bid & PARK-B Contain Commercial Bid.
- 8). Tender & who participated through WEB-SlTE must deposited Tender fee of Rs. 1,000.00 (Rupees One thousand) only in form of Bank-Draft in favour -M/s. Bharat Coking Coal Limited, Payable at Dhanbad.
- 9). EMD will be return to umsuccessful Tender after finalisation of Tender.
- 10). Tender document may be collected of the Office of undersigned during working hours.
- 11). Experience for supply the items any Area of BCCL or other subsidiary of CIL must be enclosed.

Materials Manageru(P),

Kustare Area.