



BHARAT COKING COAL LIMITED

(A Subsidiary of Coal India Limited)

Regd. Office : Koyla Bhawan, Koyla Nagar, Dhanbad.

Kustore Area

Area / HQ.

Jharkhand

P. O. : DIST. DHANBAD. TIN-20351700572.

Ref. No. : BCCCL/KAS/PURCHASE/2010-2011/003

Date : 09-04-2010

M/s.

REGISTERED/POST

Tender through
/WEBSITE Tender/

SUB :- NOTICE INVITING TENDER.

Dear Sir,

Your are requested to quote prices in Sealed Cover superscribing the Tender No. & due date for the undermentioned material rates must be quoted on F.O.R. Destination basis. In case of ex-godown or ex-despatching station deliveries, rates of freight upto destination must also be quoted separately. The offers should strictly be submitted as per instructions continued under Sl. No. 11 below offers which deviates from our Tech & Commercial Terms may be ignored.

Sl. No.	DESCRIPTION OF STORES	Quantity Required	Important Conditions
01.	<p>DGMS Approved Cement Capsule.</p> <p>Size :- 32mmx40mm.</p> <p>Weight :- 400grams (Approx).</p> <p>(The details are as per Annexure 'A' & 'B' as enclosed herewith).</p> <p><u>NB:-i). TIN/VAT/CST/PAN/Vendor Cod nos. / Guarantee must be indicated in the Qtr.</u></p> <p>ii). Price Fall Clause & L.D. Clause as applicable.</p>	100000 Nos.	<ol style="list-style-type: none">Detailed Specification of Materials must be indicated in the Quotation.The RATE must not under any circumstance be altered, Quotation with overwriting may be ignored.The TERM & CONDITION OF SUPPLY OF STORES, PLANT AND EQUIPMENT (Form No. B. C. C. L. JHR C. C. (S&P) c) as amended up to date can be had from this office / CALCUTTA Purchase Division on payment of Re 1/- (Rupee One) non refundable. These conditions will ultimately govern the contract.The prices quoted must be exclusive of Sales Tax Excise duty forwarding & packing charges etc. The rate at which these taxes are applicable must be separately mentioned if no mention is made of these Taxes it will be presumed that prices quoted are inclusive of these taxes No charges will be entertained latter on.Your offer must be valid for at least 120 days from the due date.We accept the payment terms as 100% payment within 30 days form the date of receipt and acceptance of stores at site.Please indicate where the rates quoted as per DGS & D-BCCL Rate contract, if in existance or open market trade rate if the rates are as per DGS & D-BCCL Rate contract please furnish a copy of the same along with the quotation.Only type written offer must be submitted.Samples if required will have to be submitted free of cost (non refundable)In case of steel castings/Cast Iron/Phosphorus Bronze Castings, please quote your rate on per piece basis only after taking in to account the weight of the Casting/Pattern Machining etc. Please indicate the weight adopted by you.Tenders must be submitted in one sealed envelopes containing seprately two sealed envelopes. The first envelope should contain TECHNICAL & COMMERCIAL TERMS. The second envelope should be worked the price bid only. The envelope should be worked accordingly. Kindly note that on the due date of tender opening only technical tender will be opened. Only such price offers will be opened for consideration, Which are primarily found to be technically fit for acceptance.

Quotation :- Tenders shall be receive upto 1.00 P.M. on or before 17/5/10 and shall be opened at 3.00 P.M. on same date in this office.

Materials are required at Kustore Regional Stores.

Delivery to commence from and to be completed part or in by BCCL reserves the right to accept or reject any or all tender either in full without assigning any reason thereof.

Your Faithfully,

BCCL Press 10 / 58 / 09 - 10 - 100 Pads.


For : BHARAT COKING COAL LIMITED,
Materials Manager(P),
Kustore Area

BCCL :: KUSTORE AREA
PURCHASE DEPARTMENT.

-15 COMMERCIAL TERMS & CONDITIONS :-

ANNEXURE A.

01. Payment Terms :- 100% Payment within 30 days of receipt and acceptance of the materials at site.
02. Only Typed Written Offer must be submitted. Hand written Offer shall not be acceptance.
03. Offer must be submitted as per specification of the N.I.T.
04. Please Certify that Offer rate are same as Offered to other Area of BCCL/CIL/Other Undertaking Govt. Department.
05. The Prices should be firm and F.O.R. Destination basis.
06. Offers should be submitted in TWO BID SYSTEM :-
Part-A Contain Technical Bid &
Part-B Contain Commercial Bid.
07. Tender who participated through WEBSITE must deposited Tender fee of Rs. 1000.00 (Rupees One thousand) only in form of Bank-Draft in favour of M/s. Bharat Coking Coal Limited, payable at Dhanbad.
08. E.M.D. will be return to unsuccessful Tender after ~~maxx~~ finalisation of Tender.
09. Tender document may be collected of the Office of undersigned during working hours.
10. Experience for supply the Items any Area of BCCL or other subsidiary of CIL must be enclosed.
11. Earnest Money @ 2% of estimated value will be Rs. 18500.00 (Rupees ~~eighteen~~ eighteen thousand five hundred) only must be deposited in form of Bank Draft of a recognized Bank in favour of M/s. ~~Maxx~~ Bharat Coking Coal Limited, payable at Dhanbad alongwith Offer. Without depositing E.M.D. Offer will not be Considered. E.M.D. is exempted for those supplier who has registered with NSIC.


Materials Manager(P),
Kustore Area.

Bharat Coking Coal Limited
Purchase Department
Kustore Area.

ANNEXURE B.

:- TECHNICAL SPECIFICATION :-

01. It should be DGMS Approval must be valid on the date of opening of Tender.
02. The manufacturer shall always obtain a quality certificate of the materials, metals, chemicals, components, parts and accessories purchased from the suppliers, which shall be supplied to the Consignee.
03. The manufacturer shall furnish all the relevant information in respect of chemical composition, properties, mechanical parameters and specifications or any other information & or reports pertinent to their products to the Consignee.
04. The Cement Capsules and its constituent shall be exactly of the same quantity, quality and composition given in the application for approval from DGMS and a notarized copy of the same should be supplied with each lot of Cement Capsules supplied to the Consignee.
05. The put out strength (Tensile Strength) of the foot bolt grouted with full column cement capsule shall not be less than 8 tonnes.
06. Two percent of the samples of Cement Capsule manufacture, jointly sampled by the users & manufacturer, shall be subjected to prescribed examination and testing at an established and accredited Test House CIMF/ISMU and the Cost of Testing will be borne by the supplier/manufacturer. The Cement Capsules destroyed in the test shall be replaced by the supplier/manufacturer free of cost. However if the supplier does not turn up for conducting Test even after two reminders, users will get the materials tested as prescribed above.
07. The examination and testing as prescribed shall be carried out in the presence of the representative from the manufacturers and users who shall witness the tests and examinations and sign thereon the tests and examination reports.
08. The Chemicals of the materials and substances used in the product shall be bio-degradable, non-ozone depleting and non-toxic in nature.
09. The manufacturer shall arrange to provide clear instructions for use, safety data sheet, codes of safe practices for storage and use of the product.
10. The schedule of checking, checklist and other relevant information shall also be provided by the manufacturer to the users on every consignment of supplies.
11. Adequate training and practical demonstration for storage and use shall be provided to the users.
12. Manufacturing lot no. with date of manufacture along with date of expiry of the product shall be printed on the body of the package in English.
13. DGMS Approval number with date of expiry shall be printed on the *each* *and every* package of Cement Capsule and shall always be supplied to the users with valid DGMS Approval.
14. The Shelflife of the Cement Capsules shall be shown on every unit of Cement Capsule Packages.

Contd..p/2..

15. The Cement Capsule material should conform to the following norms :

Length : 400mm. with tolerance of ± 10 mm.
Diameter : 32mm.
Weight : 400 grams with tolerance of $\pm 3\%$.

"A" Physico Mech. Properties :-

1. Average soaking time - 5 min. max.
2. Initial setting time - 3 min. maximum.
3. Final setting time - 15 min. maximum.
4. Comp. S strength :-
 - a). After 30 min. - 4.5 MPA Minimum.
 - b). After 02 hrs. - 9 MPA Minimum.
 - c). After 24 hrs. - 16 MPA Minimum.
5. Average strength :-
 - a). After 30 min. - 3T Minimum.
 - b). After 02 hrs. - 5T Minimum.
 - c). After 24 hrs. - 8T Minimum.

"B" Chemical Properties :-

- 1). Viscosity - 35000 cps to 50000 cps.
 - 2). Capsule should be Chloride free.
 - 3). Shrinkage test not more than 0.08%.
 - 4). Calcium oxide 30 to 45%
 - 5). Alumina 0 to 15%
 - 6). Feo 5% Max.
 - 7). MgO 2% Max.
 - 8). Conilous table materials 2% max.
 - 9). Silica content 15 to 20%
 - 10). Plaster of Paris - nil.
16. The Cement Capsules shall be packed suitable with batch no., month of manufacturer etc., so that they are not damaged during transit.
17. If the material fails the prescribe test the whole lot will be destroyed at users end. The material/Cement Capsule so failed & distucted shall be replaced by manufac tuer/supplier free of Cost.

Shankar
15/4/2010
Area Manager (Safety),
Kustore Area.