

BHARAT COKING COAL LIMITED
(A Subsidiary of Coal India Ltd)
OFFICE OF THE GENERAL MANAGER
CHANCH-VICTORIA AREA-XII
P.O.-BARAKAR – 713324, DIST-BURDWAN (W.B.)
Phone : 06540-272126 ; FAX 0341-2520063

Ref. No. BCCL/XII/ACE/QTN/2011-12/ 25/1336

Dates: 19/20.07.2011

QUOTATION NOTICE

Sealed Quotations on percentage rate basis are invited from the bonafide & experienced contractors for the following works:

Sl.No.	Name of the work	Estimated cost	Earnest Money	Time of completion
1.	Heightening of wall of main drain, making connecting drain for Block 2 & 3 for D.P. Dhowrah of DOCP.	Rs. 36284.00	Rs. 363.00	25 days
2.	Upkeeping works including some development work in the camp office of General Manager at Laikdih.	Rs. 52436.00	Rs.525.00	30 days
3.	Cleaning debris, jungle, surface dressing at the road side of R.S. colony, Begunia.	Rs. 18860.00	Rs.189.00	10 days
4.	Repair/ Maintenance of 1 (one) unit C- type Qtr at R.S. colony, Begunia (Qtr. No: C/3)	Rs. 22843.00	Rs. 229.00	15 days
5.	Repair/maintenance of AGM chamber, conference hall & reception at C.V. Area.	Rs. 87980.00	Rs. 880.00	30 days

Terms and conditions:

- Completed sealed Quotations will be received on 01.08.2011 up to 3.00 P.M. at the following places. Quotation may opt any one place to submit their quotation as per their convenience.
 - In the office of the General Manager, C.V. Area-XII, AT-Begunia, P.O –Barakar(W.B.)
 - At BCCL H.Q. i.e. C.I.S.F. post, near Koyala Bhawan gate, Koyala Nagar, Dhanbad.
 - Office of the ACE, CCWO, W.W.Z. Area, Saraidhela, Dhanbad.
 - Office of the ACE, CHD, Jagibnan Nagar, Dhanbad.
- Quotations will be opened on 03.08.2011 at 11.30 A.M. in the office of the Area Civil Engineer, C.V. Area-XII, AT-Begunia, P.O –Barakar(W.B.).
- Specification of work shall be governed by DSR-2007 & C.P.W.D specification.
- Terms and conditions as per C.I.L. C.E. manual shall be applicable against the quotations submitted against this Quotation Notice.
- Completed sealed Quotations shall consist of (1) EMD in the shape of cash receipt obtained from the finance deptt. C.V. Area-XII or DD from any Scheduled/Nationalised Bank, (2) Experience certificate, (3) Copy of Pan card, (4) Copy of VAT/Sales Tax clearance certificate along with VAT/Sales Tax registration No.(TIN), (5) Declaration and (6) EFT (Electronic Fund Transfer) & ECS (Electronic Clearance System) as per the format issued along with the Tender paper and (7) BOQ along with quoted rate by the Tenderer.
- The quoted rate shall include all taxes and levies.
- Statutory deductions for Income Tax and Sales Tax shall be made as per Rules and notifications.
- The contractor has to abide by the Rules of Contract Labour Regulation & Abolition Act-.
- Validity of tender shall be 120 days from the date of opening of the tender.
- Interested parties can collect the BOQ and other related papers of the Quotation from the office of the Area Civil Engineer, C.V. Area-XII, AT-Begunia, P.O –Barakar(W.B.). from 26.07.2011 to 30.07.2011 during office hours except Sunday and Holiday. BOQ and other relevant pages (Declaration & EFT form) can be down loaded from BCCL website- <http://www.bccl.gov.in>
- No conditional tender shall be accepted.
- The contractors have to be acquainted with the site condition
- Unless otherwise mentioned, no material will be issued by the department.
- Successful tender has to deposit 5% Performance Security (including 1% EMD) and another 5% Security Deposit will be deducted from the Running Account/ Final Bill.
- The management of BCCL reserves right to reject any or all tender or split the work among two or more tenderers without assigning any reasons whatsoever.

Sd/
Area Civil Engineer
Chanch Victoria Area-XII

Copy to :-

- GM, Chanch Victoria Area-XII.
- GM (Civil), BCCL, Koyla Nagar.
 - All CGM/GM of Areas/Projects under BCCL.
- Addl. GM, Chanch Victoria Area-XII.
- A.F.M., Chanch Victoria Area-XII.
- All P.O.s of Chanch Victoria Area-XII.
- Cashier, C.V. Area-XII
- Incharge,, CISF Post, Koyala Bhawan gate, Koyala Nagar,
- Assistant Commandant, CISF, C.V. Area-XII-with 2 copies of NIT for displaying on Notice Board.
- Builders Association of India, Central Akashkinaree Kanta, Katras Garh, Dhanbad-828113.
- ACE CCWO, W.W.Z. Area saraidhela, Dhanbad.
- ACE CHD, jagibnan Nagar, Dhanbad
- Notice Board.**

BHARAT COKING COAL LIMITED
(A Subsidiary of Coal India Ltd)
OFFICE OF THE GENERAL MANAGER
CHANCH-VICTORIA AREA-XII

1. Name of Work: **“Heightening of wall of main drain, making connecting drain for Block 2 & 3 for D.P. Dhowrah of DOCP.”**

2. Name of Tenderer :

3. Address:

4. NIT No. : BCCL/XII/ACE/QTN/2011-12/25/1336

Date: 19/20.07.2011

5. Details of E.M.D. No:

Date:

BILL OF QUANTITY: (Sl. No. 1)

Sl.No.	Description of Item	Qty	Unit	Rate	Amount
1/ 6.1.2 (A.R)	Brick work with F.P. S bricks of class designation 50 in foundation and plinth in : cement mortar 1:6 (1 cement : 6 coarse sand).	8.79	Cum	2,007.00	17,641.53
2/ 6.12.2	Half brick masonry with F.P.S brick of class designation 50 in foundations and plinth in : cement mortar 1: 4 (1 cement : 4 coarse sand).	18.58	Sqm.	257.25	4,779.33
3/ 4.1.8	Providing and laying in position cement concrete of specified grade excluding the cost of centering and shuttering – All work up to plinth level: 1:4:8 (1 cement: 4 coarse sand: 8 graded stone aggregate 40 mm nominal size).	0.58	Cum	2,449.00	1,420.42
4/ 13.7.2	12 mm cement plaster finished with a floating coat of neat cement of mix : 1:4 (1 Cement : 4 fine sand).	97.43	Sqm	97.90	9,538.39
5/ 2.25	Filling available excavated earth (excluding rock) in trenches, plinth, sides of foundations etc. in layers not exceeding 20cm in depth, consolidating each deposited layer by ramming and watering, lead up to 50 and lift up to 1.5m.	63.55	Cum	45.70	2,904.23
	TOTAL			Rs.	36,284.10
			Say	Rs.	36,284.00

Having gone through the Tender documents & elements of work in the bill of quantity :-

I / we quote ____% (_____) above / below the estimated cost.

Our quoted offer amounts to Rs. _____ (Rupees _____

_____) including the above percentage.

SIGNATURE OF ISSUING OFFICER

Signature & seal of Tenderer

BHARAT COKING COAL LIMITED
(A Subsidiary of Coal India Ltd)
OFFICE OF THE GENERAL MANAGER
CHANCH-VICTORIA AREA-XII

1. Name of Work: **“Upkeeping works including some development work in the camp office of General Manager at Laikdih.”**

2. Name of Tenderer :

3. Address:

4. NIT No. : BCCL/XII/ACE/QTN/2011-12/25/1336

Date: 19/20.07.2011

5. Details of E.M.D. No:

Date:

BILL OF QUANTITY: (Sl. No.-2)

Sl.No.	Description of Item	Qty	Unit	Rate	Amount
1/ 2.8.1	Earth work in excavation by mechanical means (Hydraulic excavator) / manual means in foundation trenches or drains (not exceeding 1.5 m in width or 10 sqm on plan) including dressing of sides and ramming of bottoms, lift up to 1.5 m, including getting out the excavated soil and disposal of surplus excavated soil as directed, within a lead of 50. All kind of soil.	3.95	Cum	103.40	408.43
2/ 4.1.8	Providing and laying in position cement concrete of specified grade excluding the cost of centering and shuttering – All work up to plinth level: 1:4:8 (1 cement: 4 coarse sand: 8 graded stone aggregate 40 mm nominal size).	0.79	Cum	2,449.00	1,934.71
3/ 6.1.2 (A.R)	Brick work with F.P. S bricks of class designation 50 in foundation and plinth in : cement mortar 1:6 (1 cement : 6 coarse sand).	9.48	Cum	2,007.00	19,026.36
4/ 13.1.2	12 mm cement plaster of mix : 1:6 (1 Cement : 6 fine sand).	8.61	Sqm	67.65	582.46
5/ 11.36	Providing and fixing 1 st quality ceramic glazed wall tiles conforming to IS: 15622 (thickness to be specified by the manufacture) of approved make in all colours, shades except burgundy, bottle green, black of any size as approved by Engineer-in-charge in skirting, risers of steps and dados over 12 mm thick bed of cement Mortar 1:3 (1 cement: 3 coarse sand) and jointing with grey cement slurry @ 3.3kg per sqm including pointing in white cement mixed with pigment of matching shade complete.	23.79	Sqm	556.60	13,241.51
6/ M.R.	Providing and fixing steel pipe including making holes and grunting on wall.	11.89	Meter.	558.00	6,634.62
7/ M.R.	Providing and fixing M.S. chain including fabricating with steel pipe including priming coat and painting.	47.56	Meter.	82.00	3,899.92
8/ 13.61.1	Painting with synthetic enamel paint of approved brand and manufacture to give an even shade: Two or more coats on new work.	8.61	Sqm	33.25	286.28
9/ 9.42	Providing and fixing 18 mm thick, 150mm wide pelment of flat pressed 3 layer or graded wood particle board medium density grade I, IS : 3087 marked including top cover of 6 mm commercial ply wood conforming to IS : 303 BWR grade, nickel plated M.S. pipe 20 mm dia (heavy type) curtain rod with nickel plated brackets including fixing with 25x3 mm M.S. flat 10 cm long and rawl plugs 50 mm long (designation 10 No.) etc all complete.	1.52	Metre.	208.70	317.22

Contd. P/3

10/ A.R.	Repairing of existing pelmet wall Board including polishing etc. complete	One job	L.S	2,000.00	2,000.00
11/ 9.46.1	Providing and fixing curtain rods of 1.25 mm thick chromium plated brass plate, with two chromium plated brass brackets fixed with C.P. brass screws and wooden plugs, etc., wherever necessary complete: 12 mm dia.	7.62	Meter	163.40	1,245.10
12/ M.R.	Supplying, stitching and fixing curtain clothes for door window & board.	34.20	Meter.	120.00	4,104.00
	TOTAL			Rs.	52,435.51
			Say	Rs.	52,436.00

Having gone through the Tender documents & elements of work in the bill of quantity :-

I / we quote ____% (_____) above / below the estimated cost.

Our quoted offer amounts to Rs. _____ (Rupees _____) including the above percentage.

SIGNATURE OF ISSUING OFFICER

Signature & seal of Tenderer

BHARAT COKING COAL LIMITED
(A Subsidiary of Coal India Ltd)
OFFICE OF THE GENERAL MANAGER
CHANCH-VICTORIA AREA-XII

1. Name of Work: **“Cleaning debris, jungle, surface dressing at the road side of R.S. colony , Begunia.”**

2. Name of Tenderer :

3. Address:

4. NIT No. : BCCL/XII/ACE/QTN/2011-12/25/1336

Date: 19/20.07.2011

5. Details of E.M.D. No:

Date:

BILL OF QUANTITY (Sl. No. 3)

Sl.No.	Description of Item	Qty	Unit	Rate	Amount
1/ 2.6.1-2.36	Earth work in excavation by mechanical means (Hydraulic excavator) / manual means over areas (exceeding 30 cm in depth, 1.5 in width as well as 10 sqm on plan) including disposal of excavated earth, lead up to 50 m and lift up to 1.5m, disposed earth to be leveled and neatly dressed. All kinds of soil.	128.14	Cum	(101.85-13.85)=88/-	11,276.32
2/ 2.31	Clearing jungle including uprooting of rank vegetation, grass, brush wood, trees and saplings of girth up to 30 cm measured at a height of 1 m above ground level and removal of rubbish up to a distance of 50 m outside the periphery of the area cleared.	185.80	100sqm	263.90	490.32
3/ 2.28.1	Surface dressing of the ground including removing vegetation and in-equalities not exceeding 15 cm deep and disposal of rubbish, lead up to 50 m and lift up to 1.5m. All kinds of soil.	148.64	100sqm	512.10	761.18
4/ 1.1.2	Carriage of earth lead up to 1.00 K.M.	128.14	Cum.	49.42	6332.67
	TOTAL			Rs.	18,860.49
			Say	Rs	18,860.00

Having gone through the Tender documents & elements of work in the bill of quantity :-

I / we quote _____% (_____) above / below the estimated cost.

Our quoted offer amounts to Rs. _____ (Rupees _____) including the above percentage.

SIGNATURE OF ISSUING OFFICER

Signature & seal of Tenderer

BHARAT COKING COAL LIMITED
(A Subsidiary of Coal India Ltd)
OFFICE OF THE GENERAL MANAGER
CHANCH-VICTORIA AREA-XII

1. Name of Work: “**Repair/ Maintenance of 1 (one) unit C- type Qtr at R.S. colony, Begunia (Qtr. No: C/3)**”

2. Name of Tenderer :

3. Address:

4. NIT No. : BCCL/XII/ACE/QTN/2011-12/25/1336

Date: 19/20.07.2011

5. Details of E.M.D. No:

Date:

BILL OF QUANTITY (Sl. No. 4)

Sl.No.	Description of Item	Qty	Unit	Rate	Amount
1/ 17.18.1	Providing and fixing P.V.C. low level flushing cistern with manually controlled device (handle lever) conforming to IS: 7231, with all fittings and fixtures complete. 10 litre capacity- White.	1.00	Each	709.75	709.75
2/ 17.2.1	Providing and fixing white vitreous china pedestal type water closet (European type W.C. Pan) with seat and lid, 10 litre low level white P.V.C. flushing cistern with manually controlled device (handle lever). Conforming to IS: 7231, with all fittings and fixtures complete including cutting and making good the walls and floors wherever required: W.C. Pan with ISI marked white solid plastic seat and lid.	1.00	Each	2,152.50	2,152.50
3/ 17.7.2	Providing and fixing wash basin with C.I. brackets, 15 mm C.P. brass pillar taps, 32mm C.P. brass waste of standard pattern, including painting of fittings and brackets, cutting and making good the walls wherever require: white vitreous china wash basin size 630x450 mm with a single 15 mm C.P. brass pillar tap.	1.00	Each	1,201.70	1,201.70
4/ 18.10.1	providing and fixing G.I. pipes complete with G.I. fittings and clamps, including cutting and making good the wall etc. internal work- Exposed on Wall. 15 mm dia nominal bore.	5.00	Meter	105.85	529.25
5/ 18.49.1	Providing and fixing C.P. brass bib cock of approved quality conforming to IS: 8931 15 mm dia nominal bore.	2.00	Each	313.10	626.20
6/ 18.15.1	Providing and fixing brass bib cock of approved quality: 15 mm dia nominal bore.	1.00	Each	191.70	191.70
7/ 12.1.3	Providing corrugate G.S. sheet roofing including vertical/curved surface fixed with polymer coated J or L hooks, bolts and nuts 8 mm diameter with bitumen and G.I. limpet washers or with G.I. limpet washers filled with white lead and including a coat of approved steel primer and two coats of approved paint on overlapping of sheets complete (up to any pitch in horizontal / vertical or curved surfaces) excluding the cost of purlins, rafters and trusses and including cutting to size and shape wherever required. 0.63 mm thick with zinc coating not less than 275gm/ m2	1.39	Sqm	432.25	600.82
8/ 18.22.1	Providing and fixing C.P. brass shower rose with 15 or 20 mm inlet: 100 mm diameter.	1.00	Each	40.40	40.40
9/ 17.31	Providing and fixing 600x400 mm beveled edge mirror of superior glass (of approved quality) complete with 6 m thick hard board ground fixed to wooden cleats with C.P. brass screws and washers complete.	2.00	Each	493.65	987.30
10/ 9.5.2.2	Providing and fixing paneled or paneled and glazed shutters for doors, windows and clerestory windows including ISI marked black enameled M.S. butt hinges with necessary screws excluding, paneling which will be paid for separately. 30 mm thick shutters.	1.19	Cum	810.90	964.97

Contd. P/3

11/ 9.1.2	Providing wood work in frames of doors, windows, clerestory windows and other frames, wrought framed and fixed in position sal wood.	0.015	Cum	30,511.90	457.67
12/ 11.3.1 (A.R.)	Cement concrete flooring 1:2:4 (1 cement :2 coarse sand : 4 graded stone aggregate) finished with a floating coat of neat cement including cement slurry, but excluding the cost of nosing of steps etc. complete. 25 mm thick with 12.5 mm nominal size stone aggregate.	13.37	Sqm	143.75	1,921.93
13/ 12.40.1	Providing and fixing on wall face unplasticised rigid PVC rain water pipes conforming to IS : 13592 Type A including jointing with seal ring conforming to IS: 5382 leaving 10 mm gap for thermal expansion. (i) single socketed pipes. 75 mm diameter.	3.04	Metre	95.00	288.80
14/ 12.42.5.1	Providing and fixing on wall face unplasticised – PVC moulded fittings / accessories for unplasticised Rigid PVC rain water pipes conforming to IS : 13592 Type A including jointing with seal ring conforming to IS : 5382 leaving 10 mm gap for thermal expansion. 75mm band.	1.00	Each	88.40	88.40
15/ A.R.	Providing and laying single layer bricks class designation 50.	8.73	Sqm.	111.09	969.81
16/ 13.16.1	6mm cement plaster of mix : 1:3 (1 Cement : 3 fine sand).	18.00	Sqm	62.15	1,118.70
17/ 0115	Labour rate for roof cleaning	1.00	Each	135.25	135.25
18/ 13.7.2	12 mm cement plaster finished with a floating coat of neat cement of mix : 1:4 (1 Cement : 4 fine sand).	5.00	Sqm	97.90	489.50
19/ 0111	Carpenter for adjusting door	2.00	Each	151.50	303.00
20/ 13.1.2	12 mm cement plaster of mix : 1:6 (1 Cement : 6 fine sand).	30.00	Sqm	67.65	2,029.50
21/ 0116	Engaging fitting for clea of old door	2.00	Each	151.50	303.00
22/ 4.1.3	Providing and laying in position cement concrete of specified grade excluding the cost of centering and shuttering – All work up to plinth level: 1:2:4 (1 cement: 2 coarse sand: 4 graded stone aggregate 20 mm nominal size).	0.040	Cum	3,257.45	130.29
23/ 14.54.1	Painting with synthetic enamel paint of approved brand and manufacture of required colour to give even shade: one or more coats on old work.	130.00	Sqm	22.85	2,970.50
24/ 14.42.1	White washing with lime to give an even shade : Old work (two or more coats).	114.08	Sqm	4.10	467.72
25/ 14.45.1	Distempering with oil bound washable distemper of approved brand and manufacture to give an even shade : Old work (one or more coats).	200.00	Sqm	14.90	2,980.00
26/ 9.53	Providing 40x5 mm flat iron hold fast 40 cm long including fixing to frame with 10 mm diameter bolts, nuts and wooden plugs and embeddings in cement concrete block 30x10x15 cm 1:3:6 mix (1 cement: 3 coarse sand : 6 graded stone aggregate 20 mm nominal size).	3.00	Each	61.50	184.50
Total				Rs.	22,843.16
			Say	Ra,	22,843.00

Having gone through the Tender documents & elements of work in the bill of quantity :-

I / we quote _____% (_____) above / below the estimated cost.

Our quoted offer amounts to Rs. _____ (Rupees _____) including the above percentage.

SIGNATURE OF ISSUING OFFICER

Signature & seal of Tenderer

BHARAT COKING COAL LIMITED
(A Subsidiary of Coal India Ltd)
OFFICE OF THE GENERAL MANAGER
CHANCH-VICTORIA AREA-XII

1..Name of Work: “**Repair/maintenance of AGM chamber, conference hall & reception at C.V. Area.**”

2. Name of Tenderer :

3. Address:

4. NIT No. : BCCL/XII/ACE/QTN/2011-12/25/1336

Date: 19/20.07.2011

5. Details of E.M.D. No:

Date:

BILL OF QUANTITY (Sl. No. 5)

Sl.No.	Description of Item	Qty	Unit	Rate	Amount
1/ 21.1.1.1	Providing and fixing aluminium work for doors, windows, ventilators and partitions with extruded built up standard tubular sections/ appropriate Z sections and other sections of approved make conforming to IS : 733 and IS : 185, fixed with rawl plugs and scriws or with fixing clips, or with expansion hold fasteners including necessary filling up of gaps at junctions, at top, bottom and sides with required PVC / neoprene felt etc. Aluminium sections shall be smooth, rust free, straight, mitred and jointed mechanically wherever required including cleat angle, Aluminium snap beading for glazing/paneling, c.P. brass / stainless steel screws, all complete as per architectural drawings and the directions of Engineer-in-charge. (Glazing and paneling to be paid for separately): Anodised aluminium (anodised transparent or dyed to required shade according to IS: 1868, Minimum anodic coating of grade AC 15).	60.00	Kg.	290.45	17,427.00
2/ 9.48.1	Providing and fixing M.S. grills of required pattern in frames of windows etc. with M.S. flats, square or round bars etc. all complete. Fixed to steel windows by welding.	84.00	Kg.	59.25	4,977.00
3/ 15.12.1	Dismantling doors, windows and clerestory windows (steel or wood) shutter including chowkhats, architrave, holdfasts etc. complete and stacking within 50 meter lead: of area 3 sq. metres and below.	18.00	Each	54.60	982.80
4/ 0122 0114	Labour cost for refelling grill a) mason b) helper	2.00 2.00	Each Each	151.50 135.25	303.00 270.50
5/ 9.3.2	Providing wood work in frames of false ceiling, partitions etc. sawn and put up in position : kiln seasoned and chemically treated Hollock wood.	0.15	Cum	29,777.30	4,466.59
6/ 12.24.2.1	Providing and fixing insulating board ceiling of approved quality with necessary nails etc. complete (frame work to be paid separately) : 12 mm thick	31.49	Sqm	393.15	12,380.29
7/ 17.3.1	Providing and fixing white vitreous china pedestal type water closet (European type) with seat and lid, 10 litre low level white vitreous china flushing cistern & C.P flush bend with fittings & C.I brackets, 40 mm flush bend, overflow arrangement with specials of standard make and mosquito proof coupling of approved municipal design complete including painting of fittings and brackets, cutting and making good the walls and floors wherever required: W.C. pan with ISI marked white solid plastic seat and lid.	1.00	Each	3,282.95	3,282.95
8/ 17.73.1	Providing and fixing PTMT towel rail complete with brackets fixed to wooden cleats with CP brass screws with concealed fitting arrangement of approved quality and colour. 450MM long towel rail with total length of 495mm, 78 mm wide and effective height of 88mm, weighing not less than 170gms.	1.00	Each	294.65	294.65
9/ 17.5.1	Providing and fixing white vitreous china flat back half stall urinal of size 580x380x350mm with white PVC automatic flushing cistern, with fittings, standard size C.P. brass flush pipe, spreaders with unions and clamps (all in C.P. brass) with waste fitting as per IS: 2556, C.I. trap with outlet grating and other couplings in C.P. brass including painting of fittings and cutting and making good the walls and floors wherever required: single half stall urinal with 5 liter P.V.C automatic flushing cistern.	1.00	Each	3,720.30	3,720.30

Contd. P-3

10/ 11.37	Providing and lying cermaic glazed floor tiles 300x300 mm (thickness to be specified by the manufacturer) of 1 st quality conforming to IS: 15622 of approved make in colours such as White, Ivory, Grey, Fume Red Brown, laid on 20mm thick cement mortar 1:4 (1 cement: 4 coarse sand) including pointing the joints with white cement and matching pigment etc., complete.	4.77	Sqm	598.65	2,855.56
11/ 11.3.1 (A.R.)	Cement concrete flooring 1:2:4 (1 cement :2 coarse sand : 4 graded stone aggregate) finished with a floating coat of neat cement including cement slurry, but excluding the cost of nosing of steps etc. complete. 25 mm thick with 12.5 mm nominal size stone aggregate.	3.60	Sqm	143.75	517.50
12/ 17.31	Providing and fixing 600x450 mm beveled edge mirror of superior glass (of approved quality) complete with 6mm thick hard board ground fixed to wooden cleats with C.P. brass screws and washers complete.	1.00	Each	493.65	493.65
13/ 13.1.2	12 mm cement plaster of mix : 1:6 (1 Cement : 6 fine sand).	40.00	Sqm	67.65	2,706.00
14/ 14.45.1	Distempering with oil bound washable distemper of approved brand and manufacture to give an even shade : Old work (one or more coats).	213.51	Sqm	14.90	3,181.29
15/ 14.54.1	Painting with synthetic enamel paint of approved brand and manufacture of required colour to give even shade: one or more coats on old work.	101.12	Sqm	22.85	2,310.59
16/ 14.54.1	Painting with synthetic enamel paint of approved brand and manufacture of required colour to give even shade: one or more coats on old work.	19.86	Sqm	22.85	453.80
17/ 13.68.1	French spirit polishing: two or more coats on new works including a coat of wood filler.	26.00	Sqm	75.60	1,965.60
18/ 9.46.3	Providing and fixing curtain rods of 1.25 mm thick chromium plated brass plate, with two chromium plated brass brackets fixed with C.P. brass screws and wooden plugs, etc. wherever necessary complete: 25 mm dia.	20.71	Meter	299.30	6,198.50
19/ M.R.	Providing curtain of all	67.00	Meter	75.00	5,025.00
20/ M.R.	Providing and fixing certain rings of all	1.00	L.S.	100.00	100.00
21/ M.R.	Making charge for certain rod.	1.00	L.S.	750.00	750.00
22/ 21.3.2	Providing and fixing glazing in aluminium door, window, ventilator shutters and partitions etc. with PVC/ neoprene gasket etc. complete as per the architectural drawings and the directions of engineer-in-charge (cost of aluminium snap beading shall be paid in basic item) : with float glass panes of 5.50 mm thickness.	12.26	Sqn	673.55	8,257.72
23/ 9.1.3	Providing wood work in frames of doors, windows, clerestory windows and other frames, wrought framed and fixed in position : kiln seasoned and chemically treated Hollock wood.	0.089	Cum	31,339.40	2,789.20
24/ 14.53.1	Wall painting with plastic emulsion paint of approved brand and manufacture to give an even shade: one or more coats on old work.	20.00	Sqm	25.85	517.00
25/ 18.52.1	Providing and fixing C.P. brass stop cock (concealed) of standard design and of approved make conforming to IS: 8931. 15 mm nominal bore.	2.00	Each	313.10	626.20
26/ 18.49.1	Providing and fixing C.P. brass bib cock of approved quality conforming to IS: 8931 15 mm nominal bore.	2.00	Each	313.10	626.20
27/ 13.26	Providing and applying plaster of paris putty of 2 mm thickness over plastered surface to prepare the surface even and smooth complete.	20.00	Sqm	47.20	944.00
28/ 15.2.1	Demolishing cement concrete manually/ by mechanical means including disposal of material within 50 meters lead as per direction of Engineer-in-charge. 1:3:6 or richer mix.	0.18	Cum	368.45	66.32

Contd. P-4

-P/4-

29/ 4.1.3	Providing and laying in position cement concrete of specified grade excluding the cost of centering and shuttering – All work up to plinth level: 1:2:4 (1 cement: 2 coarse sand: 4 graded stone aggregate 20 mm nominal size).	0.21	Cum	3,257.45	684.06
30/ 13.43.1	Applying one coat of cement primer of approved brand and manufacture on wall surface: Cement primer.	213.51	Sqm	17.20	3,672.37
31/ 18.21.2.1	Proving and fixing uplasticised PVC connection pipe with brass unions : 15 mm nominal bore.	3.00	Each	44.75	134.25
	Total			Rs.	87,979.89
			Say	Rs	87,980.00

Having gone through the Tender documents & elements of work in the bill of quantity :-

I / we quote _____% (_____) above / below the estimated cost.

Our quoted offer amounts to Rs. _____ (Rupees _____) including the above percentage.

SIGNATURE OF ISSUING OFFICER

Signature & seal of Tenderer

FOR PAYMENT TO CONTRACTORS
Triplicate*(Note: To be submitted in*PROFORMA FOR COLLECTING PAYMENT THROUGH ELECTRONIC MODE INCLUDING
ELECTRONIC FUND TRANSFER (EFT) & ELECTRONIC CLEARING SYSTEM (ECS)

1	Vendor/ supplier/ contractor/ customer's name & address (with telephone number & Fax number)	
2	Particulars of Bank Account	
	a) Bank Name	
	b) Branch Name (Including RTGS Code)	
	Address	
	Telephone No. & Fax No.	
	c) 9 – Digit Code Number of the Bank & Branch (Appearing on the MICR Cheque issued on the bank) or 5 digit code number of SBI	
	d) Account Type (S.B. Account/ Current Account or Cash Credit with code 10/11/13)	
	e) Ledger No./ Ledger Folio No.	
	f) Account Number (Core Banking) & Style of Account (As appearing on the cheque Book)	

3. DATE OF EFFECT:

I hereby declare that the particulars given above are correct & complete. If the transaction is delayed or not effected at all for reasons of incomplete or incorrect information, I would not hold the user institution responsible. I have read the option invitation letter and agree to discharge responsibility expected of me as a participant under the scheme. Any bank charges levied by the bank of such e-transfer shall be borne by us.

Date:-

contractor

(_____)
Signature of customer/ vendor/ supplier/

Certified that the particulars furnished above are correct as per our records.

the Bank

(_____)
Signature of the authorized officials from

DECLARATION

I, -----, Partner/Legal Attorney/ Accredited Representative of M/S -----

-----, solemnly declare that :

1. We are submitting Tender for the Work -----

----- against Tender

Notice No.-----

dt -----

2. None of the Partners of our firm is relative of employee of Bharat Coking Coal Ltd.
3. All information furnished by us in respect of fulfillment of eligibility criteria and qualification information of this Tender is complete, correct and true.
4. None of the partners of the Firm has either individually or collectively been involved in criminal offences.
5. I hereby declare that /our firm has not been banned or delisted by any Govt. or Quasi Govt. agencies or PSUs.
6. All documents/ credentials submitted alongwith this Tender are genuine, authentic, true and valid.
7. If any information and document submitted is found to be false/ incorrect any time, department may cancel my Tender and action as deemed fit may be taken against us, including termination of the contract, forfeiture of all dues including Earnest Money and banning / delisting of our firm and all partners of the firm etc.

Signature of the Tenderer

Dated-----