

# **Bharat Coking Coal Limited**

## (A Subsidiary of Coal India Limited)

#### Office of the General Manager

#### Block-II Area, P.O: Nawagarh, Dhanbad

Ref. No: GM/BII/Civil/Tender/10-11/4204

#### **TENDER NOTICE**

Sealed tender are invited on percentage rate basis (above/below) from the experienced and eligible contractors for taking up the following works: -

SI	Name of work	Estimated	Earnest	Cost of	Time of
		cost (in Rs.)	Money	Tend.Paper	completion
1	Cleaning of Nallah from Benidih to Lagoon of	Rs. 73022.00	735/-	100/-	1 month
	BOCP Mine				
2	Repair & maintenance of Office building of	Rs.84742.00	850/-	100/-	1 month
	Township water supply at Sector I & II at				
	Dugdha T/S under Block-II				
3	Repair & maintenance of Rabindra Sadan at	Rs. 63586.00	640/-	100/-	1 month
	Nehru Nagar T/S				
4	Upkeep & removal of garbage from Durga	Rs. 44565.00	450/-	100/-	15 days
	Mandir ground, "D" type & "C" type Qtr at				
	Harina T/S				
5	Development of area near "D" type Qtr for	Rs. 67637.00	680/-	100/-	1 month
	garden at NNTS under Block-II Area				

- 1. Availability of Tender documents: From **15.03.11 to 19.03.11** during working hours

  The tender documents will be issued on deposition of cost of tender documents in cash with the Sr.

  Cashier, Block-II Area/DD in favour of Bharat Coking Coal Limited payable at Dhanbad from any nationalized/scheduled bank acceptable to the company on all working days during working office hours except on Sundays/Holidays from the Office of Dy. GM (Civil), Civil Engineering Deptt, Block-II Area during the period mentioned above. Tender can also be downloaded from the website (refer notice clause no 7, 8 & 9).
- 2.a. Completed sealed tender document (PartOI & Part-II) should be submitted at the same time Part-I shall consist of terms & conditions of the tender. Additional terms & conditions if any tender documents as sold to the tenderers and credentials. Part –II shall consist of price bid duly filled in for rates, amounts etc. The bid shall be submitted in three separate envelops.

Envelop-I should contain EMD and the cost of tender documents if downloaded from the website. Envelop-II should contain Part-I of the tender. Envelop-III should contain Part-II i.e. price bid. Thereafter, all the three envelops should be submitted in one sealed envelope.

- 2.b. Time and date of receipt/opening of tender.
  - a) The tender will be received on **22.03.11** from 10.00 a.m to 3.00 p.m Tender will be received as shown above at the office of the Addl GM; B-II Area, CISF post near Koyla Bhawan gate, Koyla Nagar, BCCL Dhanbad, Area-III & Area-I Civil Deptt.
  - b) The tender received will be opened on **23.03.11** at 4.00 p.m onwards in the Office of AGM, B-II Area. In the event of the specified date for submission/opening of bids being declared a Holiday, bids will be received/opened on the appointed time on the next working day.
- 3. Eligibility Criteria:
- 3.1 a) The indenting tenderer must have in its name experience of having successfully completed similar works during last seven (07) years, ending last day of month previous to the one in which, bid application are invited, i.e. eligibility period) should be either of the following:-

Three similar completed works each costing not less than the amount equal to 40% of the estimated cost. Two similar works completed each costing not less than the amount equal to 50% of the estimated cost. One similar completed works each costing not less than the amount to 80% of the estimated cost.

Similar works means "General repair maintenance of civil work for SI no 1 to 5"

Dated: 04.03.2011

- 3.1 b) Average annual financial turnover of civil works during the last 3 (three) years ending 31<sup>st</sup> March of the previous financial year (i.e. for 2007-08,2008-09,209-10) should be at least 30% of the estimated cost. The intending tenderer must submit documentary evidence in support of above 3.1 a & 3.1b in the form of certified copy of work order., completion certificate, payment certificates/vouchers etc indicating the period of works for which the payment has been made duly signed by him/them.
- 3.2 Earnest money can be deposited in the form of cash or BC/DD in favour of Bharat Coking Coal Limited payable at Dhanbad from any nationalized bank acceptable to the company. Tenders not accompanied with earnest money are liable for outright rejection.
- 3.3 Copy of PAN (Permanent Income Tax Account Number)
- 3.4 Sale tax clearance certificate copy attested be a gezetted officer of the Govt. (Central or State) & TIN NO. is to be furnished.
- 3.5 Status of firm-partnership deed/proprietorship details.
- 3.6 a) Declaration regarding genuineness of the documents submitted & non-judicial relationship in BCCL in original as per format given in the form of affidavit on non judicial stamp paper.
  - b) Declaration that they have been not been banned or de-listed by any Govt. or Quasi Govt. Agencies or PSU's as per format given.
- 3.7 The proforma duly filled in for collecting payment through electronic mode including fund transfer and authenticated by concerned Bank Officials.
- 4. Conditional/incomplete tenders will not be acceptable abd shall be outright rejected.
- 5. The validity of the tender will be 120 days from the date of opening bid or revised price bid if any.
- 6. Other terms and conditions shall be available in details tender notice/tender documents from website.
- Details may also be obtained from detailed tender notice/tender documents from website; http://bccl.cmpdi.co.in
   (Special conditions for tenderers, downloading the tender document from BCCL Web-site)
- 8. Tenderers are required to deposit along-with their tender, a bank draft of any Nationalised/Schedule Commercial Bank payable at Dhanbad exclusively towards the cost of Tender documents for the amount indicated as above, In a separated envelop as stated at clause no 2a of this NIT. Any Bank Draft, prepared after the scheduled closure of sale of tender documents may be liable for rejection.
- 9. The contents of the tender documents available for sale in our offices shall be deemed as authentic. The bidder will be required to submit an undertaking that they will accept the tender documents as available in the web-site and their tender shall be rejected if any tampering is there in the tender documents thus submitted.
- 10. The management of BCCL reserves right to reject any or all tender or split the work among two or more tenderers without assigning any reasons whatsoever.

Dy. General Manager (Civil)

<u>Block-II Area</u>

#### CC to:

- 1. General Manager, Block-II Area
- 2. GM (Construction), BCCL Koyla Bhawan, Dhanbad.
- **3.** CVO, BCCL, Koyla Bhawan
- 4. All CGM/GMs of all Area of BCCL.
- **5.** General Manager (System), Koyla Bhawan with a request to display NIT on web site. The downloading facility should be available during the period of sale of tender documents only.
- 6. Addl. General Manager, Block-II Area
- 7. All Project Officer MCW/BOCP/JOCP, B-II Area
- 8. Area Finance Manager/Sr. Cashier, Block-II Area
- 9. Area Notice Board-through CISF, Block-II Area.

# Bill of quantity for maintenance of office building of filter plant at Sector I & II at Dugdha T/Ship

SI	Description of items	Qty	Unit	Rate
1	Grading roof for water proofing treatment with: Cement concrete 1:2:4 (1cement : 2coarse sand : 4graded stone aggregate 20 mm nominal size)	1.79	M³	3314.95
2	Providing and laying four courses water proofing treatment with bitumen felt over roofs consisting of first and third courses of blown bitumen 85/25 or 90/15 conforming to IS: 702 applied hot @ 1.45 Kg per square metre of area for each course, second course of roofing felt type 3 grade-I (hessian based self finished bitumen felt) and fourth and final course of stone grit 6mm and down size or peasized gravel spread at 6 cubic diameter per square metre including preparation of surface but excluding grading complete with: Bitumen felt (hessian base) type 3	87.13	M²	184.80
3	grade I conforming to IS: 1322.  Earth work in excavation by mechanical means (Hydraulic excavator) / manual means foundation trenches, drain not exceeding 1.5 m in width as well as 10 sqm on plan including dressing of sides and ramming of bottom, lift up to 1.5 m including getting out the excavated soil and disposal of surplus excavated soil as directed within a lead of 50 m. (All kinds of soils).	10.26	M <sup>3</sup>	103.40
4	Providing and laying cement concrete of specified grade excluding the cost of centering and shuttering in all works up to plinth level: 1:4:8 (1cement: 4 fine sand: 8graded stone aggregates 40 mm nominal size).	1.87	M³	2296.15
5	Cement concrete flooring 1:2:4 (1cement : 2coarse sand : 4graded stone aggregates) finished with a floating coat of neat cement including cement slurry but excluding the cost of nosing of steps etc. complete: 40 mm thick with 20 mm nominal size stone aggregates.	8.00	M²	192.95
6	Brick work with FPS bricks of class designation 75 in foundation and plinth using cement mortar 1:6 (1cement : 6coarse sand).	9.089	M³	2007.00
7	Brick work with FPS bricks of class designation 75 in superstructure above plinth level up to floor V level in all shapes and sizes incement mortar 1:6 (1cement : 6coarse sand).	4.30	M <sup>2</sup>	2242.65
8	12mm cement plaster of mix: 1:6 (1cement : 6fine sand).	93.94	M <sup>2</sup>	67.65
9	12mm cement plaster finished with a floating coat of neat cement of mix: 1:4 (1cement : 4fine sand).	12.64	M <sup>2</sup>	97.90
10	12mm cement plaster of mix: 1:4 (1cement : 4fine sand).	11.15	M <sup>2</sup>	77.55
11	Providing corrugated galvanized steel sheet roofing including vertical / curved surface fixed with polymer coated J or L hooks, bolts and nuts 8mm diameter with bitumen and G.I. limpet washers filled with white lead and including a coat of approved steel primer and two coats of approved paint on over lapping of sheets complete (up to any pitchin horizontal / vertical or curved surfaces) excluding the cost of purlins, rafters and trusses and including cutting to sizes and shape wherever required: 0.63mm thick with zinc coating not less than 275gms per sqm.	9.91	M²	432.25
12	Labour cost for structural steel work in single sect	30	Kg	5.54
13	Providing and fixing flat pressed 3 layer particle board medium density exterior grade (Grade I) or graded wood particle board IS:3087 marked to frame, backing or studding with screws etc. complete (Frames, backing or studding to be paid separately): 18mm thick.	2.23	M <sup>2</sup>	418.40
14	Providing wood work in frames of doors, windows, clearstory windows and other frames wrought framed and fixed in position :Sal wood.	0.012	M <sup>3</sup>	30511.95
15	Providing and fixing panelled or panelled and glazed shutters for doors, windows and clearstory windows including ISI marked black enameled M.S. butt hinges with necessary screws excluding paneling which will be paid separately: 30 mm thick shutter with Kiln seasoned and chemically treated hollock wood.	1.858	M <sup>2</sup>	810.90

SI	Description of items	Qty	Unit	Rate
16	Providing and fixing paneling or paneling to glazing in panelled or panelled and	1.24	M <sup>2</sup>	711.25
	glazed shutters for doors and windows and clearstory windows.(Area of opening			
	for panels inserts excluding portions inside grooves or rebates to be measured):			
	Panelling for panelled or panelled and glazed shutters 25mm to 40mm thick: Kiln			
	seasoned and chemically treated Hollock wood.			
17	Providing & fixing holdfast	6 nos	Nos	36.75
18	Providing and fixing ISI marked copper oxidised MS pressed butt hinges with	12	Nos	13.45
	necessary screws etc. complete. 100x58x1.90mm			
19	Providing and fixing ISI marked copper oxidised MS handles conforming to IS:4992	4	Nos	10.20
	with necessary screws etc. complete: 125mm.			
20	Providing & fixing tower bolts			
	a) 150mm X 10mm	3	Nos	23.40
	b) 40mm X 10mm	6	Nos	17.25
21	Providing and fixing ISI marked copper oxidised M.S. sliding bolts with nuts and	1	Nos	79.60
	screws complete: 300 x 16 mm.			
22	Providing and fixing G.I. pipes complete with G.I. fittings including trenching and	12	Mtr	219.60
	refilling etc. External work: 40 mm nominal bore.			
23	Distempering with oil bound distemper of approved brand and manufacture to	83.00	M <sup>2</sup>	14.90
	give an even shade: Old work (one or more coats).			
24	White washing with lime to give an even shade: Old work (two or more coats).	142.00	M <sup>2</sup>	4.10
25	White washing one or more coat	294	M <sup>2</sup>	6.75
26	Painting with synthetic enamel paint of approved brand and manufacture of	65.00	M <sup>2</sup>	22.85
	required colour to give an even shade: One or more coats on old work.			

Dy. General Manager (Civil)

<u>Block-II Area</u>

Rate quoted in figure	% above/below (in words)
Name of Contractor	
Address:	
Details of earnest money	
Signature of Contractor:	

## Bill of quantity for development of area near "D" type Qtr for garden at Harina Bagan Colony

SI	Description of items	Qty	Unit	Rate
1	Cleaning grass and removal of the rubbish up to a distance of 50 m outside the periphery	663.20	M <sup>2</sup>	135.65
1	of the area cleared.	003.20	IVI	133.03
2	Earth work in excavation by mechanical means (Hydraulic excavator) / manual means	121.80	M <sup>3</sup>	101.85
_	over areas (exceeding 30 cm in depth, 1.5 sqm in width as well as 10 sqm on plan)	121.00	101	101.65
	including disposal of excavated earth lead up to 50 m and lift up to 1.5 m disposed earth			
	to be leveled and neatly dressed. (All kinds of soils).			
3	Carriage of earth including loading, unloading and stacking with four km lead.	121.80	M <sup>3</sup>	69.99
4	Edging with bricks laid dry length wise including excavation, refilling, consolidation with	258.09	Mtr	15.05
-	hand packing and spreading neatly surplus earth within a lead of 50m: With 50 class			20.00
	designation F.P.S. bricks.			
5	Finishing walls with water proofing cement paint of required shade: Old work (one or	36.00	M <sup>2</sup>	10.75
	more coats applied @ 2.20 kg / 10 sqm) over priming coat of primer applied @ 0.80 litrs /			
	10 sqm complete including cost of priming coat.			
6	White washing with lime to give an even shade: Old work (two or more coats).	84.28	M <sup>2</sup>	4.10
7	Dry stone pitching (labour rate)	60.05	M <sup>2</sup>	96.60
8	Carriage of excavated rock including loading, unloading and stacking with four km lead.	14.00	M <sup>3</sup>	111.99
9	Pointing on stone work with cement mortar 1:3 (1cement : 3fine sand): Raised / cut	60.50	M <sup>2</sup>	112.00
	pointing.			
10	Breaking of quarry boulder and excavated rock	14.00	M <sup>2</sup>	54.86
11	Painting with synthetic enamel paint of approved brand and manufacture of required	60.50	M <sup>2</sup>	51.30
	colour to give an even shade: Two or more coats on new work over an under coat of			
	suitable shade with ordinary paint of approved brand and manufacture.			
12	Supply of Bamboo	10.00		80
13	Supplying and stacking at site: 90 mm to 45 mm size stone aggregate.	3.00	M <sup>3</sup>	742.30
14	Supplying and stacking at site: 63 mm to 45 mm size stone aggregate.	9.0	M <sup>3</sup>	768.45
15	Brick work with FPS bricks of class designation 75 in foundation and plinth using cement	1.60	M <sup>3</sup>	2007.00
	mortar 1:6 (1cement : 6coarse sand).			
16	Providing hoisting and fixing up to floor five level pre-cast reinforced cement concrete	0.90	M <sup>3</sup>	4860.15
	work in string courses, bands, copings, bed plates, anchor blocks, plain window sills and			
	the likes including the cost of required centering and shuttering finishing smooth with			
	6mm thick cement plaster 1:3 (1cement: 3fine sand) on exposed surfaces but excluding the cost of reinforcement with 1:2:4 (1cement: 2coarse sand: 4graded stone aggregates			
	20mm nominal size).			
17	Reinforcement for RCC work including straightening, cutting, bending, binding and	72.00	Kg	42.70
1/	placing in position complete: Cold twisted bars.	72.00	Νg	42.70
18	12mm cement plaster finished with a floating coat of neat cement of mix: 1:4 (1cement :	14.75	M <sup>2</sup>	97.90
	4fine sand).	11.75		37.30
19	Earth work in excavation by mechanical means (Hydraulic excavator) / manual means	1.24	M <sup>3</sup>	103.40
	foundation trenches, drain not exceeding 1.5 m in width as well as 10 sqm on plan			
	including dressing of sides and ramming of bottom, lift up to 1.5 m including getting out			
	the excavated soil and disposal of surplus excavated soil as directed within a lead of 50			
L	m. (All kinds of soils).			
20	Welded steel wire fabric fencing with posts of specified material and of standard design	85.20	M <sup>2</sup>	11.50
	placed and embedded in cement concrete blocks 45x45x60 cm of mix 1:5:10 (1cement :			
	5fine sand: 10graded stone aggregate 40 mm nominal size) every 15th post, last but one			
	end post and corner post shall be strutted on both sides and end post on one side only			
	and struts embedded in cement concrete blocks 70x45x50 cm of the same mix, provided			
	with welded steel wire fabric fixed between the posts fitted and fixed with GI staples on			
	wooden plugs or tied to 6mm bar nibs with GI binding wire (cost of posts, welded steel			
	wire fabric, painting, earth work in excavation and concrete to be paid for separately).			

Dy. General Manager (Civil)

<u>Block-II Area</u>

% above/below (in words)

Rate quoted in figure
Name of Contractor
Address:
Details of earnest money
Signature of Contractor:

# Bill of quantity for cleaning of Nallah from Benidih to lagoon of BOCP Mine

SI	Description of items	Qty	Unit	Rate
1	Earth work in excavation by mechanical means (Hydraulic excavator)/manual means	677.00	M³	101.85
	over areas (exceeding 30 cm in depth, 1.5 sqm in width as well as 10 sqm on plan)			
	including disposal of excavated earth lead up to 50 m and lift up to 1.5 m disposed			
	earth to be leveled and neatly dressed. (All kinds of soils).			
2	Cleaning grass and removal of the rubbish up to a distance of 50 m outside the	3000	M <sup>2</sup>	135.65
	periphery of the area cleared.			

	Dy. General Manager (Civil) <u>Block-II Area</u>
Rate quoted in figure	% above/below (in words)
Name of Contractor	
Address:	
Details of earnest money	
Signature of Contractor:	

# <u>Bill of quantity for upkeep & removal of garbage from Durga Mandir ground, "D" Type, "C" type & Rabindra Sadan in NNTS under Block-II Area</u>

SI	Description of items	Qty	Unit	Rate
1	Surface dressing of the ground including removing vegetation and	2870.10	%M²	512.10
	inequalities not exceeding 15 cm deep and disposal of rubbish lead up to 50			
	m and lift up to 1.5 m. (All kinds of soil).			
2	Cleaning grass and removal of the rubbish up to a distance of 50 m outside	5150.50	%M²	135.65
	the periphery of the area cleared.			
3	Earth work in excavation by mechanical means (Hydraulic excavator)/manual	109.65	M <sup>3</sup>	56.15
	means over areas (exceeding 30 cm in depth, 1.5 sqm in width as well as 10			
	sqm on plan) including disposal of excavated earth lead up to 50 m and lift			
	up to 1.5 m disposed earth to be leveled and neatly dressed. (All kinds of			
	soils).			
4	Earth work in excavation by mechanical means (Hydraulic excavator)/manual	92.35	M <sup>3</sup>	57.70
	means foundation trenches, drain not exceeding 1.5 m in width as well as 10			
	sqm on plan including dressing of sides and ramming of bottom, lift up to 1.5			
	m including getting out the excavated soil and disposal of surplus excavated			
	soil as directed within a lead of 50 m. (All kinds of soils).			
5	Carriage of earth including loading, unloading and stacking with two km lead.	202.00	M <sup>3</sup>	56.41

Dy. General Manager (Civil)
Block-II Area

Rate quoted in figure

% above/below (in words)

Name of Contractor

Address:

## Bill of quantity for repair & maintenance of Rabindra Sadan at Nehru Nagar under Block-II Area

SI	Description of items	Qty	Unit	Rate
1	Distempering with oil bound distemper of approved brand and manufacture	2870.10	M <sup>2</sup>	14.90
	to give an even shade: Old work (one or more coats).			
2	White washing with lime to give an even shade: Old work (two or more	174.75	M <sup>2</sup>	4.10
	coats).			
3	12mm cement plaster of mix: 1:4 (1cement : 4fine sand).	10.00	M <sup>2</sup>	77.55
4	12mm cement plaster finished with a floating coat of neat cement of mix: 1:4	66.00	M <sup>2</sup>	97.90
	(1 cement : 4fine sand).			
5	Finishing walls with water proofing cement paint of required shade: Old work	653.35	M <sup>2</sup>	10.75
	(one or more coats applied @ 2.20 kg / 10 sqm) over priming coat of primer			
	applied @ 0.80 litrs / 10 sqm complete including cost of priming coat.			
6	Painting with synthetic enamel paint of approved brand & manufacture to	82.00	M <sup>2</sup>	22.85
	give an even shade on wood & steel work			
7	Taking out shutters as per specification & direction of Engg. In-Ch. Complete	9.00	M <sup>2</sup>	21.040
8	Providing & fixing PVC shutters as oer spec. & dir. Of Engg. In-Ch complete	3.00	M <sup>2</sup>	2271.80
9	Providing and fixing Aluminium sliding door bolts ISI marked anodized	8 nos	Each	158.50
	(anodic coating not less than grade AC 10 as per IS: 1868) transparent or			
	dyed to required colour or shade with necessary screws etc. complete:			
	300x16mm.			
10	Providing & fixing tower bolts 250 mm	4 nos	Each	62.20
	-do- handle	8 nos	Each	48.80
11	P/F flush door shutters 35mm thick or as per spec. & dir of Of Engg. In-Ch			
	complete	10.35	m²	929.95
	b) P/F parliamentary hinges	36 nos	each	37.70
12	Applying primer on wood	20.80	M <sup>2</sup>	16.55
13	Providing & fixing PVC tank	1000 Ltrs	Ltrs	5.25
14	Dismantling WC pan as per specification & direction of Engg. In-Ch. Complete	2 nos	Each	65.00
15	P/F/F WC pan, foot rest & P Trap as per specification & direction of Engg. In-	1 no	Each	1219.65
	Ch. Complete			
16	Providing & fixing European pan as per specification & direction of Engg. In-	1 no	Each	2152.50
	Ch. Complete		_	
17	Dismantling & fixing flushing cistern as per specification & direction of Engg.	1 no	Each	143.35
	In-Ch. Complete			
18	P/F wash basin	2 nos	Each	1332.90
19	Making connection with GI distribution pipeline from main line	3 nos	Each	166.05
20	Providing & laying GI pipe with GI fittings all complete 15 mm dia	2.00	Mtr	105.85
21	Providing & laying GI pipe with GI fittings 40 mm dia	1.50	Mtr	264.05
22	Prov. & fitting brass bib cock as per specification & direction of Engg. In-Ch	2 nos	Each	191.70
23	Prov. & fitting stop cock of approved brand 25 mm	2 nos	Each	235.20
24	Providing wood work in door frames as per specification & direction of Engg.	0.042	m³	30511.95
	In-Ch. Complete			
25	Painting with synthetic enamel paint of approved quality on wall	42.00	M <sup>2</sup>	25.85
26	Surface dressing of the ground as per specification & direction of Engg. In-Ch.	822.00	%M²	512.10
	Complete			
27	Carriage of earth incl. loading unloading and stacking at site lead upto 2 KM	32.90	M <sup>3</sup>	56.41

Dy. General Manager (Civil)

<u>Block-II Area</u>

Rate quoted in figure

% above/below (in words)

Name of Contractor Address:

#### **General Conditions**

- 1. Any Bids received after the deadline prescribed in the notice due to any reasons whatsoever will not be accepted.
- 2. Quotations thus submitted shall consist of the following:
- i.) Complete set of price bid/ document as sold, duly filled in and signed on all pages
- ii). Particulars of Registration with Sales Tax Authorities./ TIN
- iii). PAN (Permanent Income Tax Account Number)
- iii) Earnest money deposit (as specified in the Notice)
- iv ) Experience as per the Quotation Notice
- v) The Performa duly filled in for collecting payment through electronic mode including electronic fund transfer and authenticated by concerned Bank officials is to be submitted.
- 3. The bid shall be submitted in two separate envelopes.
  - **Envelope-I** Should contain EMD and other required papers as per eligibily criteria.
  - **Envelope –II** Should contain only price bid.

Therafter, all the two envelopes should be submitted in one sealed envelope.

Quotation will be opened in presence of tenderers or their authorized representatives

- 4. The earnest money will be retained in the case of successful tenderer and refunded to the unsuccessful tenderer as promptly as possible after opening of price bid and finalization of the tender and will not carry any interest. The earnest money shall be refunded without waiting for any application or request from unsuccessful bidders. The Earnest Money of the successful bidders will be retained by the department as part of the security deposit for due fulfillment of the contract and will not carry any Interest
- 5. Every tenderer is expected, before quoting his rates, to go through the requirements of materials/workmanship under specification/requirements and conditions of contract and to inspect the site/area of the proposed work.
- 6. Corrections where unavoidable, shall be made by crossing out and rewriting duly authenticated with full signature and date by the tenderer. Erasing or over-writing in the tender documents may disqualify the tender.
- 7. The work should be completed within specified time as per the quotation notice from expiry of ten (10) days from the issue of letter of acceptance of tender/work order or handing over the site.
- 8. On completion of the work all rubbish, debris, brick bats etc. shall be removed by the contractor(s) at his/their own expense and the site cleaned and handed over to the company.
- 9. The Company does not bind itself to accept the lowest tender and reserves the right to reject any or all the tenders without assigning any reasons whatsoever and to split up the work between two or more tenderers or accept the tender in part and not in its entirety.
- 10. If a Tenderer deliberately provides wrong information or submits false credentials in support of his qualifications, the Company reserves the right to terminate/rescind the contract, forfeit the EMD and other dues of the contractor and to take any other action as may be deemed fit
- 11. On receipt of letter for acceptance of the tender issued by the Company, the successful tenderer shall execute work order in the company's prescribed form for the due fulfillment of the contract. Failure to enter into the work order within specified period in the LOA shall entail cancellation of letter of acceptance forfeiture of the earnest money. The written work order to be entered into between the contractor and the company shall be the foundation of the rights of both the parties and the contract shall not be deemed to be executed until the work order is signed/accepted by both the parties i.e. Contractor and the Company.
- 12. The Company reserves the right to postpone the date of receipt and opening of tenders or to cancel the tenders without assigning any reason whatsoever.
- 13. No subletting of work as a whole by the contractor is permissible. Subletting of work in piece rated jobs is permissible with the prior approval of the department.
- 14. They should submit Power of Attorney of the person signing the Tenders, if Partner / Proprietor of the firm not signing the Tenders.

- 15. Tenders shall be rejected outright without any reference if the documents submitted by the tenderers alongwith their tender fail to prove eligibility in terms of above criteria. Documents submitted alongwith the tenders shall be final and no supplementary document shall be accepted unless asked by the Company.
- 16. Tenders submitted shall become property of the company. Un-opended price bids of the ineligible tenderers shall be destroyed.
- 17. The credentials/documents submitted by the tenderer should be numbered serially and properly taged..
- 18. The tenderers shall quote their rates both in figures and words. They should also put the total of the worked out cost of their offer both in figures and words, failing which their quotations are liable for rejection. The rates quoted should be inclusive of all incidentals, overheads, all taxes, Octroi's, duties, leads, lifts, carriage, tools & plant, Royalty etc.
- 19. Compensation for delay / Termination of the contract- The L.D shall be 1/2 % of the contract value per week subject to a ceiling of 10 % of the contract value. In case of termination of the contract, the company shall be entitled to recover LD up to 10% of the contract value including Security Deposit besides getting the work completed by other means at the risk and cost of the contractor.
- 20. The work shall be executed as per General terms & Conditions of the contract prevailing in BCCL, the description of items in the BOQ and as per the instruction of the EIC.
- 21. Any Bids received after the deadline prescribed at the Notice due to any reasons whatsoever, will not be accepted.
- 22. In cases where the tenderer fails to commence the work latest within one month of award of the work or within one month of handling over site, whichever is earlier, the Earnest Money shall be absolutely forfeited.
- 23. If the bid of the successful bidder is seriously unbalanced in relation to the estimate of the cost of work to be performed under the contract, the company may require the bidder to produce detailed price analysis for any or all items of the Bill of quantities to demonstrate the internal consistency of these prices with the construction method and the schedule proposed. After evaluation of the price analysis, the company may require that the amount of the performance security/security deposit is increased at the expense of the successful bidder to a level sufficient to protect the company against financial loss in the event of default on the part of the successful bidder under the contract.
- 24. The refund of security deposit shall be subject to company's right to deduct/ appropriate its due against the contractor under this contract or under any other contract. On completion of the entire work as certified by the Engineer-in-charge, one half of the security deposit remaining with the company shall be refunded. The other half shall be refunded to the contractor after issue of No Defect Certificate by the Engineer-in-Charge. on the expiry of defect Liability Period of six months, subject to the following.
- (a) The defects are rectified to the satisfaction of the Engineer-in- Charge within the said period. Or in the case of building work or other work of similar nature, the refund shall be made on the expiry of the said six months period or at the end of one full monsoon period i.e. June to September, whichever is later in point of time and any defects such as leakages in roof, effloresces in walls, dampness, defects in drainage etc. should be rectified to the satisfaction of Engineer-in-Charge.
- (b)25. Settlement of dispute-
- (a) It is incumbent upon the contractor to avoid litigation and disputes during the course of execution. However, if such disputes take place between the contractor and the department, effort shall be made first to settle the disputes at the company level. The contractor should make request in writing to the Engineer-in-charge for settlement of dispute failing which no disputes/ claims of the contractor shall be entertained by the company.
- (b) In spite of above, In case the contractor enters into litigation, such action should have to be taken in a court of law with jurisdiction over the place where the subject work is to be executed.
- 26.(a) Corrections where unavoidable, shall be made by crossing out and rewriting duly authenticated with full signature and date by the tenderer. Erasing or over-writing in the tender documents may disqualify the tender.
- (b) The tender shall be submitted either in English or in Hindi.

27. Time is the essence of the contract and as such all the works shall be completed within the time stipulated in the NIT/ Work-order

The works shall be executed as per General specifications, CPWD guidelines, Description of the Items and as contained in the BOQ with its Quality Assurance. The contractor should get the sample of Brick, Sand, stone chips, Lime etc approved by the Engineer in charge before execution of such items.

28. The validity period of the tenders shall be 4 (four) months from the date of opening of price bid or revised price bid, if any The tenderer shall not, during the said period or within the period extended by mutual consent, revoke or cancel his tender or alter the tender or any terms/conditions thereof without consent in writing of the company.

In case the tenderer violates to abide by this, the Company will be entitled to forfeit the Earnest Money and reject the tender.

- 29. Banned or delisted Contractors: They are not eligible to participate in the tender. In case it is found afterwards, suitable action shall be taken against them including termination of contract and forfeiting the dues.
- 30. The contractor / contractors shall employ only competent, skillful and orderly men to do the work. The Engineer In Charge shall have the right to ask the contractor/ contractors to remove from the work site any men of the contractor/contractors who in his opinion is undesirable and the contractor / contractors will have to remove him within 3 (three) hours of such orders.
- 31. The contractor shall maintain all records as per the provision made in the various statutes including Contract Labour (Regulation & Abolition) Act, 1970 and the Contract Labour (Regulation & Abolition) Central Rules,1971, Minimum Wages Act, Workmen Compensation Act etc. and latest amendment thereof. Such records maintained by the contractor shall be opened for inspection by the Engineer In Charge or by the nominated representative of the Principal Employer.
- 32. The contractor / contractors shall not pay less than the minimum wages to the labourers engaged by him/them as per Minimum Wages Act or such other legislation or award of the minimum wage fixed by the respective State Govt. or Central Govt. as may be in force.

The contractor shall at all times during the tenure of the contract indemnify the company against all claims, damages or compensation under the provision of the Workmen's Compensation Act and shall take insurance policy covering all risk, claims, damages, or compensation payable under the Workmen's Compensation Act or under any other law relating thereto.

- 33. The contractor shall be registered with the concerned State Govt. and the Central Govt. in respect of Sales Tax Act and the certificate having details of Registration No/ TIN with updated period of validity etc. should be maintained by them.
- 34. The terms and conditions as mentioned in the tender document are only indicative. For any other matter not mentioned in this tender/ Quotation document the guidelines of the prevailing "CIVIL ENGINEERING MANUAL" of "COAL INDIA LIMITED" shall be referred.

Dy GM(Civil) Block-II Area