

BCCL Press 10 / 58 / 09 - 10 - 100 Pads.

BHARAT COKING COAL LIMITED

(A Subsidiary of Coal India Limited)

Regd. Office: Koyla Bhawan, Koyla Nagar, Dhanbad.

..... DIST. DHANBAD.

Ref. N	o. DCCL:KA:PURCHASE DEPTT: 20 10-	11:18:	Date: 05/08/20/
M/s	<u> </u>		PREGISTERED POST
			Tender-Purchase throug
	SUB :- NOTI	CE INVI	TING TENDER.
Dear	Sir,		
must b	Your are requested to quote prices in Sealed Cover	wn or ex-desi	g the Tender No. & due date for the undermentioned material rates patching station deliveries, rates of freight upto destination must also one continued under SI. No. 11 below offers which deviates from our
SI. No.	DESCRIPTION OF STORES	Quantity Required	Important Conditions
01-	DGMS Approved Cement 1,0 Capsules. Mps Size :-32mm×400mm.	0000	Detailed Specification of Materials must be indicated in the Quotation. The RATE must not under any circumstance be altered, Quotation with overwriting may be ignored. The TERM & CONDITION OF SUPPLY OF STORES, PLANT AND EQUIPMENT (Form No. B. C. C. L. JHR C. C. (S&P) c) as amended up to date can be had from
	Weight 5-400 gframs(Approx.)		this office / CALCUTTA Purchase Division on payment of Re 1/- (Rupee One) non refundable. These conditions will ultimately govern the contract.
	he details are as per nnexure A' & 'B' as per list enclosed herewith).		4. The prices quoted must be exclusive of Sales Tax Excise duty forwarding & packing charges etc. The rate at which these taxes are applicable must be separately mentioned if no mention is made of these Taxes it will be presumed that prices quoted are inclusive of these taxes No charges will be entertained latter on. 5. Your offer must be valid for at least 120 days from the due date. 6. We accept the payment terms as 100% payment within 30 days form.
90	Guarantee must be indicing the Quotation.	Code/ cated	the date of receipt and acceptance of stores at site. 7. Please indicate where the rates quoted as per DGS & D-BCCL Rate contract, if in existance or open market trade rate if the rates are as per DGS & D-BCCL Rate contract please furnish a copy of the same along with the quotation. 8. Only type written offer must be submitted.
	ii).Price Fall Clause & L.D. Clause as applicab	le.	 Samples if required will have to be submitted free of cost (non refundable) In case of steel castings/Cast Iron/Phosphorus Bronze Castings, please quote your rate on per piece basis only after taking in to account the weight of the Casting/Pattern Machining etc. Please indicate the weight adopted by you.
			11. Tenders must be submitted in one sealed envelopes containing seprately two sealed envelopes. The first envelope should contain TECHNICAL & COMMER-CIAL TERMS. The second envelope should be worked the price bid only. The envelope should be worked accordingly. Kindly note that on the due date of tender opening only technical tender will be opened. Only such price offers will be opened for consideration. Which are primarialy found to be technically fit for acceptance.
and s	shall be opened at 3.00 P. M. on same date in this	office.	07/09/10
Mater	ials are required Sustore Regional Sto	ores, K	ustore Area No.VIII.
			and to be completed part or in by
	in full without assigning any reason thereof.		BCCL reserves the right to accept or reject any or all tender Your Faithfully 2

BCCL:: KUS TOR E AREA PURCHASE DEPARTMENT.

-: COMMERCIAL TERMS & CONDITIONS S-

Annexu te A .

- Payment Terms 1-100% Payment within 30 days of feceipt and acceptance of the materials at site.
- 02. Only Typed Written Offer must be submitted. Hand Written Offer shall not be acceptance.
- 03. Offer must be submitted as per specific ation of the N.I.T.
- 04. Please Certify that Offer rate are same as Offered to other Area of BCCL:CIL:Other Undertaking/Govt. Department.
- 05. The Prices should be firm and F.D.R. Destination basis.
- 07. Tender who partitipated through WEBSITE must deposited. Tender Fee of Ps. 1000.00 (Rupees One thousand) only in form of Bank-Draft in favour of M/s. Bharat Coking Coal Limited, payable at Chanbad.
- O8. E.M.D. Will be return to unsuccessful Tender after finalisation of Tender.
- 09. Tender document may be collected of the Office of undersigned during working hours.
- 10. Experience for supply the fitems any Area of BCCK or other subsidiary of CIL must be enclosed.
- 11. Earnest Money 92% of estimated value will be Rs. 18500.00 (Rupees eighteen thousand five hundred) only must be deposited in form of Bank-Draft of a recognized Bank in favour of M/s. Bharat Coking Coal Limited, payable at Dhanba d alongwith Offer. Without deposting E.M.D. Offer will not be Considered. E.M.D. is exempted for those supplier who has registered with NSIC.

Materials Manager(P), Kust ore Area.

BHARAT COKING COAL LIMITED FURCHASE DEPARTMENT KUSTORE AREA.

ANNEXER E'B".

AS TECHNICAL SPECIFIC ATION &_

- O 1. It should be OGMS Approval must be valid on the date of Opening of Tender.
- 82. The manufacturer shall always obtain a quality certificate of the material metals, chemicals, components, parts and accessories purchased from the suppliers, which shall be supplied to the Consignes.
- 03. The manufagturer chall furnish all the selevant information in respect of Chemical Composition, properties, mechnical parameters and specific ations or any other information or reports partinent to their products to the Consignes.
- 04. The Cement Capsule and its constituent shall be exactly of the same quantity, quality and composition % given in the application for approval from OGAS and a notarized copy of the same should be supplied a with each lot of Cement Capsules supplied to the Consignes.
- 05. The put out strength (Tensile Strength) of the roof bolt grouted with full column cement capsule shall not be less than 08 tonnes.
- D6. Two pergent of the samples of Cement Capsule manufacture, jointly sampled by the users & manufacturer shall be subjected to prescribed examination and testing at an established and accredited Test House CIMFR/ISMU and the cost of testing will be born a by the supplier/manufacturer. The Cement Capsules destroyed in the test shall be replaced by the supplier/manufacturer free of Cost. However if supplier does not turn up for conducting Test even after two reminder users & will got the materialstested as prescribed above.
- C7. The examination and testing as prescribed shall be carried out in the presence of the representative from the manufasturers and users who shall witness the tests and examinations and sign thereon the tests and examinations and sign thereon the tests and examination reports.
- 08. The Chemicals of the materials and substances used in the product shall be bio-degradable, non-ozone depleting and non-toxic in nature.
- 09. The manufacturer shall arrange to profide clear instructions for use, safety data sheet, codes of safe practices for storage and use of the product.
- 10. The schedule of checking, checklist and other relevant information shall also be provided by the manufacturer to the users on every consignment of supplies.
- 11. Adequate training and prictical demonstration for storage and use shall be provided to the users.
- 12. Manufacturing lot no. with date of manufacture alongwith date of expiry of the product shall be printed on the body of the package in ENGLISH.

- DOMS Approval number with date of expiry shall be printed on the package 13. of Cament Capsule and shall always be supplied to the users with valid UGMS Approval.
- The shelflife of the Cement Capsules shall be shown on every unit of . Cement Capsule Package.
- The Coment Capsule materials should Conform to the following manus norms: 400mm. with tolerance of 4/-10mm.

Length Diameter Weight

32mm.

400 grams with tolerance of 4/-3

"A" PHYSICO MECH. PROPERTIES :-

- Average soaking time Initial setting time
- 3 min . maximum .
- 10 minutes (Max.) including soaking time. 15 minutes (Max.) in cluding soaking & Initial setting time. Final Setting time

4. Compressive Strength ** Sxassaxxxxxx

- a). After 30 min. b). After 82 hre. c). After 24 hre.
- 3.0 Minimum. M.R.
- 12.00 Minimum + M Pa

5. Average Strength :- (Anchorage Test)

- a). After 30 min.
- 3 T. Minimum. 5 T. Minimum. 10 T. Minimu.
- b). After 02 hrs. c) . After 24 hrs.

We Chemical Properties !-

- (1). W Chloride (Chloride) 0.1%
- (11). Shrinkage
- No Shrinkage shall be allowed, Test
- Period upto 35 days Expansion upto 0.0 10. Test period upto 35 days.
- (111) Magor Chemical Constituents 5-a) Calcium Uxide (Cao) b) Alumina (Al283)
- 25 to 35%
- b) .
- 10 to 25%

Iron Oxide c) .

- d) .
- Silica Content (Si 02) Magnesium Oxide (Mg 0)
- 15 to 254 36 Maximum. 36 Maximum.
- 8). Sulfuric Anhydrate
- 16. The Gement Capsules shall be packed suith be with batch no., month of manufacturer etc., so that they are not damaged during transit.
- 17. If the materials fails the prescribe test the whole lot will be destroyed at users end. The material/Cement Capsule so failed & destructed shall be replaced by manufacturer/supplier free of Cost.

18. Loss on agnition - 3% maximum.

Area Sanager Safety, Kustore Area.